



Line Scan Telecentric Lens

Model	VS-LTC1.5-130CO-45/FS
Optical Mag.	× 1.5 ± 5 %
FOV	φ 28.6 mm
WD	130.0 mm ± 4
O/I (Object & Imager Distance)	475.0 mm
Working F/# *Value at Iris Open	9.6
NA	0.078
DOF at PCoC φ 0.04mm	0.3 mm
Optical Distortion (Y=21.5)	-0.05 %
Relative Illuminance (Y=21.5)	99 %
Wavelength	Visible
Mount	F-Mount
Flange Back	46.5 mm
Image Circle	φ 43 mm
Co-Axial Prism	Built-in
Filter Thread	M 72 P= 0.75
Weight (approx.)	1340 g
Dimension	φ 75 (max.) × L = 298.5 mm



△×				APPROVED	CHECKED	MATERIAL 材料	-	CHAMFER 一般面取	-	ANTI 倒裝
△×				T. A.	T. A.	TREATMENT 処理	-	FINISHING 仕上	-	
△×						TREATMENT CONTACT 処理接点	-	DECENTRATION 偏芯	-	
△× 3	ホールド範囲・外径寸法追記	20.10.13	R.H.	DESIGNED	DRAWN	OVER 250 UP TO 1000	±0.3 ±0.5 ±1.0 ±0.2	ANGLE 角度	METHOD 図法	REWORK 返用 (機種名)
△× 1	Iris ring表記追加	20.07.01	T.F.	T. A.	H. M.	OVER 63 UP TO 250	±0.2 ±0.3 ±0.6 ±0.15	UNIT (mm)	VS-LTC1.5-130C0-45/FS	外観図 / DRAWING
NO. × 箇所	REVISION 訂正事項	DATE	NAME			OVER 16 UP TO 63	±0.1 ±0.2 ±0.4 ±0.1			
						OVER 0 UP TO 16	±0.05 ±0.1 ±0.2 ±0.1	DATE	19.04.25	DRAW NO.
						TOLERANCES	A B C S			0 D 0 E 1 2 6 7 A 3